

SAFETY IN THE WORKPLACE IS OUR

We're committed to helping you create a culture of safety in your facility. Shop our pages for a wide selection of products that put safety first.











WE OFFER MORE

NEXT DAY DELIVERY. Need it quick? Most items, to most places are delivered next business day.

COMMUNITY-BASED. We're locally owned and in your neighborhood, so you get fast, personal service.

ONE SOURCE, LARGE ASSORTMENT, Don't see it here? We offer an even wider selection of safety products, with access to thousands of items.

GIVE US A CALL! Our knowledgeable sales consultants will partner with you to meet your safety needs!



© ESND 2016. Prices shown are in U.S. dollars and are subject to change without notice. We reserve the right to correct pricing or copy errors and to limit quantities. Company and product names appearing in this flyer are the trademarks of their respective owners. Products on the front cover may be for illustration only and may not be available for sale. Food, beverages, medicines and custom orders cannot be returned.

OSHA requires workplaces to have adequate first aid supplies readily available and adheres to ANSI standards for first aid kit content requirements. In 2015 ANSI updated the standards, with an effective date of **June 17**, **2016**.

The 2015 ANSI update introduced two classes of first aid kits:

Class A kits contain contents designed for more common types of workplace injuries.

Class B kits contain a broader, larger quantity of supplies for more complex or high-risk environments.

In order to be ANSI-compliant, first aid kits must contain the following components:

| • • | | |
|--|----------------------------------|----------------------------------|
| FIRST AID SUPPLIES | MINIMUM QUANTITY CLASS A KITS | MINIMUM QUANTITY CLASS B KITS |
| Adhesive Bandage, 1" × 3" | 16 | 50 |
| Adhesive Tape, 2.5 yd (total) | 1 | 2 |
| Antibiotic Application, 1/57 oz | 10 | 25 |
| Antiseptic, 1/57 oz | 10 | 50 |
| Breathing Barrier | 1 | 1 |
| Burn Dressing (gel soaked), 4" × 4" | 1 | 2 |
| Burn Treatment, 1/32 oz | 10 | 25 |
| Cold Pack, 4" × 5" | 1 | 2 |
| Eye Covering (with means of attachment), 2.9 sq" | 2 | 2 |
| Eye/Skin Wash, 1 fl oz total | 1 | _ |
| Eye/Skin Wash, 4 fl oz total | _ | 1 |
| First Aid Guide | 1 | 1 |
| Hand Sanitizer, 1/32 oz | 6 | 10 |
| Medical Exam Gloves | 2 pair | 4 pair |
| Roller Bandage, 2" × 4 yd | 1 | 2 |
| Roller Bandage, 4" × 4 yd | _ | 1 |
| Scissors | 1 | 1 |
| Splint, 4" × 24" | _ | 1 |
| Sterile Pad, 3" × 3" | 2 | 4 |
| Tourniquet, 1" wide | _ | 1 |
| Trauma Pad, 5" × 9" | 2 | 4 |
| Triangular Bandage, 40" × 40" × 56" | 1 | 2 |

Also introduced were 4 types of kits, based on usage:

Type I — for use in stationary indoor applications.

Type II—for use in portable indoor applications.

Type III—for portable use in mobile indoor and/or outdoor settings.

Type IV—for portable use in mobile industries and/or outdoor applications.

Consider the complexity of your environment and levels of hazard to determine the right kit for your facility. Look to our selection to help you meet new requirements.













- · For office, vehicle or worksite.
- · Supplies feature bilingual labels in English and Spanish.
- . Kit holds all 21 ANSI required items.

| No. | $W \times D \times H$ | Qty. | Unit | Price |
|------------------------|---|--------|------|-------|
| For Up to 100 People—2 | 217 pieces. | | | |
| FAO-90570 * | 10 1/6 " × 4 3/4 " × 15" | 1 each | EA | |
| For Up to 25 People—89 | pieces. | | | |
| FAO-90588 * | 9" × 2 ½ " × 8" | 1 each | KT | |
| * FAO-90570—ANSI/ISEA | Z308.1-2015 Compliant; Class B Type III . | | | |

FAO-90588—ANSI/ISEA Z308.1-2015 Compliant; Class A Type I & II. Unitized ANSI-Compliant First Aid Kit Refill

- Complete refill kit holds all 21 ANSI required items.
- · For office, vehicle or worksite.
- Supplies feature bilingual labels in English and Spanish.

| No. | Number of Pieces | Ωty. | Unit | Price |
|----------------------|------------------|--------|------|-------|
| For Up to 25 People | | | | |
| FAO-90581 | 84 | 1 each | EA | |
| For Up to 100 People | | | | |
| FAO-90584 | 217 | 1 each | EA | |



ANSI 2015 Compliant First Aid Kit

- Kit replenishes key items for office, vehicle or worksite kits.
- Supplies feature bilingual labels in English and Spanish.
- Meets all OSHA and ANSI standards.

| | and in the ocalitation | | | |
|----------------------|------------------------|--------|------|-------|
| No. | $W \times D \times H$ | Qty. | Unit | Price |
| For Up to 25 People— | -141 pieces. | | | |
| FAO-90589 * | 10" × 9" × 21/2" | 1 each | EA | |

* ANSI/ISEA Z308.1-2015 Compliant; Class A+ Type I & II. **ANSI 2015 Compliant First Aid Kit Refill**

- · Bulk first aid refill kit meets all OSHA and ANSI standards.
- Refill kit replenishes key items for office, vehicle or worksite kits.

| Supplies reature bi | iinguai iabeis in Engiish and | Spanisn. | | |
|---|-------------------------------|----------|------|-------|
| No. | Number of Pieces | Qty. | Unit | Price |
| For Up to 25 People | | | | |
| FΔΩ-90583 | 89 | 1 each | KT | |



FIRST AID ONLY.

ANSI 2015 Compliant Industrial First Aid Kit

- Designed as an auxiliary kit for smaller businesses.
- · Contains a variety of products to care for various injuries, including cuts and scrapes, eye irritations, minor burns and more.
- · Convenient swing-down door and easy-carry handle

| oom om om our | | aa | | | |
|---|--|--------|------|-------|--|
| No. | $W \times D \times H$ | Ωty. | Unit | Price | |
| Three-Shelf Kit, For Up to 100 People—683 pieces. | | | | | |
| FAO-90575 * | 15" × 5 ½ " × 16" | 1 each | KT | | |
| Two-Shelf Kit, For Up To 75 People—437 pieces. | | | | | |
| FAO-90573 * | 10 1/8 " × 4 3/4 " × 15" | 1 each | EA | | |
| | | | | | |

* FAO-90575—ANSI/ISEA Z308.1-2015 Compliant; Class A+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b).

FAO-90573—ANSI/ISEA Z308.1-2015 Compliant; Class B+ Type I & II; Meets or exceeds Federal OSHA Regulation 1910.151(b).



SmartCompliance First Aid Station

- · General business kit is ideal for businesses, offices and worksites.
- · Convenient swing-out door and easy-carry handle.
- · Clearly labeled compartments create a cabinet that is easy to use

| No. | $W \times D \times H$ | Ωty. | Unit | Price |
|-------------------------|---------------------------------|--------|------|-------|
| For Up to 50 People | | | | |
| FAO-90608 * | 13" × 4 1/6 " × 14" | 1 each | EA | |
| For Up to 25 People—217 | 7 pieces | | | |
| FAO-90578 * | 91/2" × 31/6" × 12" | 1 each | KT | |
| * FA0-90578—ANSI/ISEA Z | 308.1-2015 Compliant; Class A. | | | |
| FAO-90608—ANSI/ISEA Z | 308.1-2015 Compliant; Class A+. | | | |

16-3229



Alcohol Swabs

- · Easy and convenient way to cleanse the skin and help fight bacteria at the site of application.
- · Individually sealed.
- Two-fold quilted. 2

| No. | Description | Qty. | Unit | Price |
|--------------|-------------|------|------|-------|
| MII-CUR45581 | 1" × 1" | 200 | ВХ | |



Instant Cold Pack

- · Easy to use.
- · Ideal for minor sprains, strains, bumps and bruises.
- · Helps control swelling and relieve discomfort. 🜌

| No. | $W \times D$ | Qty. | Unit | Price |
|-------------|--------------|------|------|-------|
| MII-CUR961R | 5" × 6" | 2 | BX | |



boardwalk

Blood Clean-Up Kit

- Heavy-duty plastic case with safety latch and handle.
- · Wall-mountable.
- Complete kit, with an assortment of tools and disposable personal protective equipment to safely clean up blood or other potentially infectious materials.

| No. | $W \times D \times H$ | Unit | Pric |
|-----------|-----------------------|------|------|
| RWK-54865 | 3" × 8" × 5" | KT | |



CURAD



Metal Detectable Woven Adhesive Bandages

- · Sterile blue adhesive bandages are widely used in food and pharmaceutical processing sites.
- · Internal foil allows for quick detection through most metal detectors.
- Meet the needs of the food service industry.

| No. | Description | Qty. | Qty. | Unit | Price |
|----------|---|-------------|------|------|-------|
| ACM-H175 | Adhesive Blue Metal Detectable Bandages, 1 × 3 | 100 per box | 1 | EA | |

BAND-AID

Stock up on critical first aid supplies!

Sheer/Wet Flex **Adhesive Bandages**

- · Sheer/wet bandages provide breathable protection.
- · Attaches with adhesive.
- · Packaged for individual use and to replenish first aid stations and kits. 88

| No. | Description | Qty. | Unit | Price |
|----------|----------------|------|------|-------|
| J0J-4711 | Assorted Sizes | 280 | BX | |



Ibuprofen Tablets

- · Effective for headaches, backaches, muscle aches, menstrual pain, minor arthritis and other joint pain, body aches and pains from the flu.
- · Packaged for individual use to replenish

| No. | Description | |
|-------------|-------------|--|
| PEI_015//80 | 2/Pack | |

| first aid stations | and kits. 🌌 | | |
|--------------------|-------------|------|---|
| lo. | Description | Qty. | ı |
| FI-015489 | 2/Pack | 50 | ı |



| No. | Description |
|------------|-------------|
| PFI_015489 | 2/Pack |



BAND-AID

Flexible Fabric **Adhesive Bandages**

- · Extra tough durable fabric.
- · Attaches with adhesive.
- · Provides extra flexibility, stretchable and comfortable fabric moves with you to fit better. 82

| No. | Material | Description | Qty. | Unit | Price |
|----------|----------|-------------|------|------|-------|
| J0J-4444 | Fabric | 1" × 3" | 100 | ВХ | |

Motrin IB

Ibuprofen Tablets

- Temporarily relieves minor aches and pains due to headache, muscular aches, minor pain of arthritis, toothache, backache, the common cold and menstrual cramps.
- Temporarily reduces fever.
- · Packaged for individual use to replenish first aid stations and kits.

| No. | Description | Qty. | Unit | Price |
|-----------|-------------|------|------|-------|
| MCL-48152 | 2/Pack | 50 | ВХ | |



boardwalk

Emergency Evewash Station

- · Twin bottle eye flush station with wall mount.
- · Used for flushing or irrigating the eyes.
- Includes eye cup for easily focusing the fluid stream into affected eye. 🛭 $W \times D \times H$ Size Qty. Unit BWK-54842 103/4" × 33/4" × 171/2"





| Honeywell Fendall Single Eye Wash Wall Station • Helps provide quick action when an | eyesaline EMERGENCY EYE/FACE WASH PROPERTY OF THE PROPERTY OF | |
|--|--|--|
| eye needs to be flushed or decontaminated. Includes one 32-oz, single-use bottle of eye wash per station. Sealed, sterile bottles contain a buffered, saline solution, superior to tap water for emergency | - Discourance of the control of the | Cycscaline Charles Stations Station S |

| eye care. 🌌 | | | | | |
|--------------------|-----------------------|-------|------|------|-------|
| No. | $W \times D \times H$ | Size | Qty. | Unit | Price |
| FND-3200046100EA * | 13" × 41/2" × 14" | 32 oz | 1 | EA | |

☀ Does not meet ANSI Z358.1 standard 15-minute flushing requirement. Is intended to support, not replace, primary plumbed or self-contained units.

Also Consider:

| No. | Description | Qty. | Unit | Price |
|------------------|---------------------------------|------|------|-------|
| FND-3200045500EA | Honeywell® 32 oz. Refill Bottle | 1 | EA | |

Honeywell

Fendall Porta Stream® II Eye Wash Station

- · Pull the straps and the reservoir releases crisscross
- streams of Evesaline Concentrate Solution.
- · Simple strap design leaves hands free to hold eyelids open while flushing.

| No. | $W \times D \times H$ | Size | Qty. | Unit | Price |
|--------------------|-------------------------------------|--------|------|------|-------|
| FND-320002000000 * | 19 ½ " × 19 ½ " × 26" | 16 gal | 1 | EA | |

* ANSI Z358.1-2014 Compliant.


Honeywell

Fendall Eyesaline Eyewash Refill Bottles for Single or Double Eyewash Wall Stations.

- · Single-use refill bottle of isotonic buffered saline solution for eye wash wall station.
- Blow-fill-seal bottles are tamper-resistant, yet easily removed in an emergency.
- · Extended-flow nozzles provide longer flow than

| No. | Description | Qty. | Unit | Price |
|--------------------|--------------|------|------|-------|
| FND-3200045500EA * | 32 oz Bottle | 1 | EA | |

* DOES NOT MEET the current ANSI Z358.1-201415-minute flushing requirement. For personal or secondary use only.



Be Prepared with Eyewash Stations!

In the event of a workplace eye emergency, eyewash stations are critical to minimizing eye damage.

Eyewash stations are required by the Occupational Safety and Health Administration (OSHA) in any workplace where hazardous or corrosive materials are a risk for workers. Guidelines set by the American National Standards Institute (ANSI) are generally considered good rules to follow:

- Eyewash stations must be close enough for workers to reach in ten seconds.
- An eyewash station needs to be found easily in an emergency.
- Eyewash stations must be capable of maintaining flows of 0.4 gallons per minute for up to 15 minutes.
- The location of the station must be on the same level as the hazard, with nothing blocking the way.





Keep Your Eyes Safe and Protected!

Personal protective eyewear, such as goggles and safety glasses, must be used in a workplace where an eye hazard exists.

Having the right protective eyewear is critical in preventing eye-related injuries. According to the National Institute for Occupational Safety and Health (NIOSH), each day approximately 2,000 U.S. workers sustain an eye injury on the job that requires medical treatment. A third of these are treated in hospital ERs, with more than 100 resulting in a day or more of lost work. The majority of injuries occur because of small particles or objects striking or abrading the eye.

When selecting eye protection, consider your specific work situation and the nature of hazards at your workplace. Choose safety glasses or goggles that offer appropriate coverage and the right fit, and allow for sufficient peripheral vision.



JACKSON

Nemesis Safety Eyewear

- · Sleek, flexible, lightweight design.
- Soft-touch temples for added comfort.
- · Scratch-resistant dual polycarbonate lens.

| No. | Frame Color | Lens Color | Qty. | Unit | Price |
|-------------|-------------|--------------|------|------|-------|
| KCC-25676 ★ | Black | Clear | 1 | EA | |
| KCC-25688 ★ | Black | Smoke Mirror | 1 | EA | |

* ANSI Z87.1+ Compliant.



LightVision™ Protective Eyewear

- · Protect your eyes and light up your workspace!
- Dual LED lights provide hands-free lighting.
- · Swivels/adjusts for directional convenience.

| No. | Frame Color | Lens Color | Qty. | Unit | Price |
|--------------------|-------------|------------|------|------|-------|
| MMM-114760000010 * | Gray | Clear | 1 | EA | |
| | | | | | |

* ANSI Z87.1-2010 Compliant; Meets CSA Z94.3-2007 Compliant. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item



Checkmate® Safety Glasses

- · Lightweight, polycarbonate frame and nose piece.

| besign provides near total sear of eye orbit for maximum protection. | | | | | | | | |
|--|------------------|------------|------|------|-------|--|--|--|
| No. | Frame Color | Lens Color | Ωty. | Unit | Price | | | |
| Uncoated Lens—Blocks 9 | 9.9% of UV rays. | | | | | | | |
| CRW-CK100 ★ | Clear | Clear | 12 | BX | | | | |

* ANSI Z87.1 Compliant.



BearKat® Safety Glasses

- Well-thought-out construction combines safety, comfort and affordability!
- Vision is unobstructed by the one-piece wraparound lens.
- · Tight fit allows maximum safety and unobstructed vision.

| No. | Frame Color | Lens Color | Qty. | Unit | Price | | |
|-------------|-------------|------------|------|------|-------|--|--|
| CRW-BK110 ★ | Black | Clear | 1 | EA | | | |
| CRW-BK112 * | Gray | Gray | 1 | EA | | | |

* ANSI Z87.1+ Compliant.





Sight Savers® Lens Cleaning Station

- Keeps glass or plastic lenses spotless.
- · Antifog, antistatic.
- Dispenser box can be attached to wall or placed on countertop.

 No.
 W × L
 Qty.
 Unit
 Price

 BAL-8565
 6½° × 4¾°
 1
 EA

Forceflex™ Professional Grade Safety Glasses

- Incorporates patented molding of lens with flexible frame that can achieve military ballistic-level impact resistance.
- Frame flexes and fits faces of all sizes.
- Meets military test regimen for high-velocity impact protection.

| No. | , , | Frame Color | Lens Color | Oty. | Unit | Price |
|-------------|-----|-------------|------------|------|------|-------|
| CRW-FF120 ★ | | Black | Clear | 1 | EA | |

* ANSI Z87.1+ Compliant.



Stealth® Safety Goggles

- Low-profile design for chemical splash and impact protection.
- Uvextreme® AF lens coating provides antifog, antiscratch, antistatic and anti-UV protection.
- Prescription insert available.

| No. | Lens Color | Qty. | Unit | Price |
|--------------|------------|------|------|-------|
| UVX-S3960C * | Clear | 1 | EA | |

* ANSI Z87.1 Compliant; CSA Z94.3-2007 Compliant.



BAUSCH+LOMB

Sight Savers® Premoistened Lens Cleaning Tissues

- Keeps glass or plastic lenses spotless.
- · Antifog, antistactic.
- Dispenser box can be attached to wall or placed on countertop.

| No. | $W \times L$ | Oty. | Ünit | Price |
|------------|--------------|------|------|-------|
| BAL-8574GM | 8" × 5" | 100 | ВХ | |



Work Safe and Protect Your Hearing

The National Institute for Occupational Safety and Health (NIOSH) reports that each year, approximately 30 million workers are exposed to noise levels high enough to cause irreversible hearing loss.

Since 2004, the Bureau of Labor Statistics has reported that nearly 125,000 workers have suffered significant, permanent hearing loss. The best way to reduce noise in the workplace is to choose the right hearing protection device for you and your work environment. Make sure to look for the Noise Reduction Rate (NRR), a measurement that classifies the devices' ability to reduce noise levels, given in decibels (dB) — the higher the number, the greater the potential for noise reduction.



by Honeywell

Super Leight™ Ear Plugs

- · Soft foam general purpose ear plug.
- Ideal for sleeping, traveling, shooting sports, landscaping and home improvement projects.
- · Offers the highest Noise Reduction Rating of any ear plug.

| No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------|----------------------|----------|------|------|-------|
| UVX-R-01669 | 33 dB | Cordless | 20 | PK | |



by Honeywell

Leight Sleepers® Ear Plugs

- Ideal for sleeping and blocking noise from snoring or other loud noises.
- Great for use at the office and home.
- The soft foam expands for a custom fit for added comfort.

| No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|-------------|----------------------|----------|------|------|-------|
| UVX-R-01680 | 32 dB | Cordless | 60 | BX | |



E.A.R™ Classic™ Earplugs

- Slow-recovery, low-pressure foam conforms to the shape of the ear canal.
- Flame-resistant and moisture-resistant.

| Te | st-compatible with | 3M™ E- | -A-Rfit™ | validation | system. |
|------------------------|--------------------|--------|----------|------------|---------|
|------------------------|--------------------|--------|----------|------------|---------|

| One neit ner Billow Beh [™] | | | | | | | |
|--------------------------------------|----------------------|-------|------|------|-------|--|--|
| No. | Noise Reduction Rate | Style | Qty. | Unit | Price | | |
| | | | | | | | |

One pair per Pillow Pak"

MMM-310-1001 * 29 dB

Uncorded 200 BX

O UM AND THE

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



E.A.R™ Classic™ Plus Earplugs

- Offers the highest noise reduction rating in the industry.
- Unique, nonirritating foam is longer for deeper insertion into the ear canal.
- Provides optimal hearing protection; perfect for airline mechanics and stamping machine operators

| allille lilechanic | is and stamping machin | ie operators. | | | |
|--------------------|------------------------|---------------|------|------|-------|
| No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
| MMMM 2101101 * | 22 4B | Cordloce | 200 | RΥ | |

* IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



E.A.Rsoft™ Yellow Neons™ Soft Foam Earplugs

- Made of self-adjusting foam with a tapered shape for increased comfort.
- Test compatible with 3M[™] E-A-Rfit[™] validation system.

| No. | Noise Reduction Rate | Style | Qty. | Unit | Price |
|----------------|----------------------|----------|------|------|-------|
| MMM-311-1250 * | 33 dB | Corded | 200 | BX | |
| MMM-312-1250 * | 33 dB | Uncorded | 200 | BX | |

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



E.A.R™ UltraFit™ Reusable Earplugs

- Premolded triple-flange earplug design inserts easily.
- · Washable and reusable.
- Test compatible with 3M[™] E-A-Rfit[™] validation system.

| No. | Noise Reduction Rate | • | Qty. | Unit | Pric |
|----------------|----------------------|--------|------|------|------|
| MMM-340-4004 * | 25 dB | Corded | 100 | ВХ | |

IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

3M

Peltor™ OPTIME™ 105 High Performance Earmuffs


- For noise levels up to 105 dBA.
- Over-the-head earmuffs feature double-shell technology to provide effective hearing protection.
- Stainless steel headband distributes weight for low-pressure fit.



* IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



0000







- Effectively reduces exposure to allergens.
- Adjustable nosepiece.
- Stands up to moisture and humidity.

| No. | Size | Qty. | Unit | Price |
|------------|-------------------|------|------|-------|
| GSN-1501 * | One Size Fits All | 50 | ВХ | |

* Does not provide NIOSH-Approved respiratory protection.



SIV.

Particulate Respirator 8210, N95

- Offers protection when the job requires work around tiny particles.
- Lightweight but effective.
- Adjustable nose clip.

| No. | Resistance | Rating | Size | Qty. | Unit | Price |
|-------------------|-----------------------------|--------|----------------------|------|------|-------|
| MMM-8210 ★ | Non-Oil- Based Particles | N95 | One Size Fits All | 20 | ВХ | |

NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



3M

Particle Respirator 8200, N95

- Offers protection when the job requires work around tiny particles.
- · Lightweight, but effective.
- Adjustable nose clip ensures a more secure seal against the face.

| No. | Resistance | Rating | Size | Qty. | Unit | Price |
|-------------------|---------------------|--------|----------|------|------|-------|
| MMM-8200 ≭ | Airborne Germs; | N95 | One Size | 20 | ВХ | |
| | Dust; Bodily Fluids | | Fits All | | | |

NIOSH Approved. IMPORTANT: The 3M products in this catalog must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.

3M

Particulate Respirator 8511, N95 with 3M Cool Flow™ Exhalation Valve

- Offers protection when the job requires work around tiny particles.
- · Lightweight, but effective.
- Adjustable nose clip ensures a more secure seal against the face.

| No. | Resistance | Rating | Size | Qty. | Unit | Price |
|------------|-----------------|--------|----------|------|------|-------|
| MMM-8511 * | Non-Oil- | N95 | One Size | 10 | ВХ | |
| | Based Particles | | Fits All | | | |

NIOSH Approved. IMPORTANT: 3M products must be used in accordance with OSHA regulations, warnings, and limitations that accompany each item.



Size Unit Price BWK-183M ★ Green Medium DΖ BWK-183L Green Large DΖ BWK-183XL Green X-Large DΖ

* BWK-183M—FDA Compliant.

boardwalk

BWK-242M

BWK-242L

BWK-242XL

Color

Yellow

Yellow

Yellow

Medium

X-Large

Large

Flock-Lined Latex Cleaning Gloves • For working with harsh detergents, acids, solvents, alcohols or alkalis. • Maintain a steady grip and protect your hands with these lined gloves. · Perfect for cleaning up big messes. Qty. Unit Price

DΖ

DΖ

DΖ

Latex gloves fit like a second skin in powdered and powder-free styles.



General-Purpose Latex Gloves

- For food handling, assembly and manufacturing work and other nonmedical applications requiring dexterity.
- · Nonsterile.

| No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------|---------|---------|-----------|------|------|-------|
| BWK-345MBX | Natural | Medium | 4.4 mil | 100 | BX | |
| BWK-345LBX | Natural | Large | 4.4 mil | 100 | BX | |
| BWK-345XLBX | Natural | X-Large | 4.4 mil | 100 | BX | |



boardwalk

Latex Exam Powdered

- · An ideal combination of protection and sensitivity.
- Enhanced comfort and fit.
- · Reduced possibility of tears and holes.

| No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------|---------|---------|-----------|------|------|-------|
| BWK-350SBX | Natural | Small | 4.8 mil | 100 | BX | |
| BWK-350MBX | Natural | Medium | 4.8 mil | 100 | BX | |
| BWK-350LBX | Natural | Large | 4.8 mil | 100 | BX | |
| BWK-350XLBX | Natural | X-Large | 4.8 mil | 100 | BX | |

BWK 355SBX

boardwalk.

General Purpose

Powdered Latex Gloves

- · Durable, natural rubber gloves.
- For use in janitorial, industrial and light-duty applications.
- Safe for food contact applications.

| No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------|---------|---------|-----------|------|------|-------|
| BWK-355SBX | Natural | Small | 4.4 mil | 100 | BX | |
| BWK-355MBX | Natural | Medium | 4.4 mil | 100 | BX | |
| BWK-355LBX | Natural | Large | 4.4 mil | 100 | BX | |
| BWK-355XLBX | Natural | X-Large | 4.4 mil | 100 | BX | |

boardwalk

Powder-Free Latex Exam Gloves

· Eliminates potential aerosolization of glove

powder and powder-associated transfer of chemical allergens

· Perfect combination of protection and sensitivity.

· Enhanced strength and durability.

| No. | Color | Size | Thickness | Ωty. | Unit | Price |
|-------------|---------|---------|-----------|------|------|-------|
| BWK-351SBX | Natural | Small | 4.8 mil | 100 | BX | |
| BWK-351MBX | Natural | Medium | 4.8 mil | 100 | BX | |
| BWK-351LBX | Natural | Large | 4.8 mil | 100 | BX | |
| BWK-351XLBX | Natural | X-Large | 4.8 mil | 100 | BX | |
| | | | | | | |

BWK 351SBX

Stay protected with latex-free styles.



boardwalk

Powder-Free Synthetic Vinyl Gloves

- Excellent latex alternative.
- · Exceptional strength and protection, with maximum tactile sensitivity.
- Great solution for those with latex allergies.

| Color | Size | Thickness | Qty. | Unit | Price |
|-------|----------------|-----------------------------|---|---|---|
| Cream | Small | 4 mil | 100 | BX | |
| Cream | Medium | 4 mil | 100 | BX | |
| Cream | Large | 4 mil | 100 | BX | |
| | Cream Cream | Cream Small Cream Medium | Cream Small 4 mil Cream Medium 4 mil | Cream Small 4 mil 100 Cream Medium 4 mil 100 | Cream Small 4 mil 100 BX Cream Medium 4 mil 100 BX |



boardwalk

Exam Vinyl Gloves

- Powder-free.
- 100% latex-free.
- For food preparation, painting, light-duty cleaning, precision parts handling, manufacturing and assembly.

| No. | Color | Size | Thickness | Qty. | Unit | Price |
|-------------|-------|---------|-----------|------|------|-------|
| BWK-361SBX | Clear | Small | 3.6 mil | 100 | BX | |
| BWK-361MBX | Clear | Medium | 3.6 mil | 100 | BX | |
| BWK-361LBX | Clear | Large | 3.6 mil | 100 | BX | |
| BWK-361XLBX | Clear | X-Large | 3.6 mil | 100 | BX | |



boardwalk

General Purpose Vinyl Gloves

- Excellent tactile sensitivity and protection.
- Ideal for employees with latex allergies.
- Quick and easy to don.

| No. | Color | Size | Thickness | Ωty. | Unit | Price |
|-------------|-------|---------|-----------|------|------|-------|
| BWK-365MBX | Clear | Medium | 2.6 mil | 100 | BX | |
| BWK-365LBX | Clear | Large | 2.6 mil | 100 | BX | |
| BWK-365XLBX | Clear | X-Large | 2.6 mil | 100 | BX | |

boardwalk.

Disposable General-Purpose Nitrile Gloves

- Superior tear strength and dexterity.
- · Chemical-resistant.
- Puncture-resistant.

| No. | Color | Size | Thickness | Ωty. | Unit | Price |
|---------------|-------|---------|-----------|------|------|-------|
| BWK-380SBX | Blue | Small | 4 mil | 100 | BX | |
| BWK-380MBX | Blue | Medium | 4 mil | 100 | BX | |
| BWK-395MBX ★ | Blue | Medium | 5 mil | 100 | BX | |
| BWK-380LBX | Blue | Large | 4 mil | 100 | BX | |
| BWK-395LBX ★ | Blue | Large | 5 mil | 100 | BX | |
| BWK-380XLBX | Blue | X-Large | 4 mil | 100 | BX | |
| BWK-395XLBX ★ | Blue | X-Large | 5 mil | 100 | BX | |

BWK 380SBX

* BWK-395MBX, BWK-395LBX, BWK-395XLBX—ASTM; Approved for use with Food; ESD Compliant.



| No. | Color | Size | Unit | Price |
|-----------|------------|---------|------|-------|
| CRW-913M | Gray/Black | Medium | PR | |
| CRW-913L | Gray/Black | Large | PR | |
| CRW-913XL | Gray/Black | X-Large | PR | |
| | | | | |



• Great grip in wet and dry conditions.

| · Great grip in wet and dry conditions. | | | | | |
|---|---------------|---------|------|------|-------|
| No. | Color | Size | Qty. | Unit | Price |
| CRW-92723NFM ★ | Salt & Pepper | Medium | 1 | DZ | |
| CRW-92723NFL ★ | Salt & Pepper | Large | 1 | DZ | |
| CRW-92723NFXL ★ | Salt & Pepper | X-Large | 1 | DZ | |
| * ANSI CPPT 2. | | | | | |

MEMPHIS

Cheetah 935CH Gloves

- Sturdy multi-task gloves stand up to grease and grime.
- Gloves provide grip, durability and protection.
- $\bullet\,$ Black "G" shape gel pad in the palm and index finger.

| No. | Color | Size | Unit Price |
|-------------|-------|---------|------------|
| CRW-935CHM | Black | Medium | PR |
| CRW-935CHL | Black | Large | PR |
| CRW-935CHXL | Black | X-Large | PR |

CHEETAH

CHEETAH



Cut Pro™ MC500 Gloves

- Amazing grip and protection in an easy-towear glove.
- Features 10 gauge HPPE/ Synthetic shell with brushed nylon lining.
- Black silicone diamond pattern in palms creates grip and gives added protection.

| No. | Color | Size | Thickness | Unit | Price |
|----------------|---------------------|----------|----------------|------|-------|
| CRW-MC500M ★ | High Vis Lime/Black | Medium | 10 gauge shell | PR | |
| CRW-MC500XL ★ | High Vis Lime/Black | X-Large | 10 gauge shell | PR | |
| CRW-MC500XXL ★ | High Vis Lime/Black | 2X-Large | 10 gauge shell | PR | |
| * ANSI CPPT 4. | | | | | |



CHEETAH



Dyneema® Gloves

- Cut- and abrasion-resistant.
- Polyurethane coating for maximum wet and dry grip.
- Breathable and lint-free.

| No. | Color | Size | Unit | Price |
|--------------|-------------|---------|------|-------|
| CRW-9672L ★ | Gray; White | Large | PR | |
| CRW-9672XL * | Grav: White | X-Large | PR | |

★ Cut Resistant ANSI Level 2.



Ninja® HPT Gloves

- Hydropellent Technology.
- · Cushioning effect minimizes impact.
- Athletic grade nylon shell.

| 1 | No. | Color | Size | Unit | Price |
|---|-------------|-------|---------|------|-------|
| (| CRW-N9699M | Black | Medium | PR | |
| (| CRW-N9699L | Black | Large | PR | |
| (| CRW-N9699XL | Black | X-Large | PR | |
| | | | | | |





Economy Foam Nitrile Gloves

- Gray 13-sgauge nylon shell.
- Nitrile-dipped palm and fingers.
- Ideal for small parts handling where tactile sensitivity and dexterity are important.

| | , | , | | | | |
|------------|---|-------------|---------|------|------|-------|
| No. | | Color | Size | Qty. | Unit | Price |
| CRW-9673M | | Black; Gray | Medium | 1 | DZ | |
| CRW-9673L | | Black; Gray | Large | 1 | DZ | |
| CRW-9673XL | | Black; Gray | X-Large | 1 | DZ | |
| | | | | | | |



FlexTuff® Latex Dipped Gloves

- · Improved grip.
- Natural abrasion resistance.
- Great comfort and fit.

| - Oreat connoct a | | | | | |
|-------------------|------------|-------|------|------|-------|
| No. | Color | Size | Qty. | Unit | Price |
| MPG-9680L | White/Blue | Large | 1 | DZ | |





Be Prepared for a Fire Emergency!

Having a fire prevention program in place is crucial for employee safety and facility compliance.

> On an average day, over 200 fires occur in U.S. workplaces, according to the Occupational Safety and Health Administration (OSHA), and more than 5,000 people are injured annually in explosions and fires on the job. The best way to ensure the safety of your workforce is through fire prevention and preparation.

- OSHA requires employers to provide proper exits, firefighting equipment, emergency plans and employee training to prevent fire deaths and injuries in the workplace.
- Having an extinguisher within reach can be the difference between minor damage and catastrophe, or in extreme cases, life and death.
- Make sure to frequently inspect and maintain the condition of extinguishers, smoke alarms and any other fire safety equipment.

Keep extinguishers within reach to safeguard your workplace, assets and employees!



ProLine™ Dry-Chemical Commercial Fire Extinguisher

- · Commercial, dry-chemical design.
- · Crystal-clear, step-by-step instruction label.
- Fasy-to-read reliable pressure gauge

| Lusy to roud, ro | mabic prossure ga | ugo. 📟 | | |
|------------------|-----------------------|------------------------|------|-------|
| No. | CW/UW/UL | Material | Unit | Price |
| KID-466227 ★ | 25/8 lbs/41/2 lbs/ | Aluminum Cylinder; | EA | |
| | 1A-10B:C | Monoammonium Phosphate | | |
| KID-466112 * | 5 lbs/8 ½ lbs/ | Aluminum Cylinder; | EA | |
| | 3A-40B:C | Monoammonium Phosphate | | |
| KID-466204 ★ | 10 lbs/19 lbs/ | Steel Cylinder; | EA | |
| | 4∆-60R·C | Monoammonium Phosphate | | |

★ CW=Charge wt. lbs., UW=Unit wt. lbs., UL=UL rating.






Bedroom Sealed Battery-Operated Smoke Alarm with Voice Alarm

- · Unit with voice alarm announces "Fire! Fire!" in addition to loud beeps.
- · Sealed-in lithium power supply lasts entire ten-year life of the alarm.
- · Quick and easy to install; alarm automatically activates when attached to the mounting bracket.

KID-21010067 * * III Listed





Kitchen Smoke and Carbon **Monoxide Sealed Battery Alarm**

- · Combination smoke and carbon monoxide alarm. · Sealed-in lithium power supply lasts
- entire ten-vear life of the alarm. · Quick and easy to install; alarm
- automatically activates when attached to the mounting bracket.

KID-21010071 *

≭ UL Listed.



Auto FX511 Disposable Auto Fire Extinguisher

- Compact aluminum cylinder.
- · Sodium bicarbonate, dry-chemical suppression.
- Pressure gauge.

CW/UW/UL Material Unit Price KID-21006287N **★** 2 lbs/2**½** lbs/5-B:C Aluminum Cylinder; Sodium Bicarbonate

* CW=Charge wt. lbs., UW=Unit wt. lbs., UL=UL rating.

High visibility vests call attention to safety!





One-Size Reflective Safety Vest

- · Bright orange color and reflective strips provide high visibility day or night for a variety of hazardous situations.
- · Lightweight polyester mesh.
- One standard size: measures 18" × 47".

| No. | Size | Unit | Price |
|-----------------------------|------|------|-------|
| CRW-V201R One Size Fits All | | EA | |





Luminator™ Class 2 Safety Vest

- Class 2 100% polyester safety vest. Fluorescent lime with 2" reflective stripe.
- Meets ANSI/ISEA Class 2 Standards.
- Fluorescent green, 2" reflective stripe and black binding.

| No. | Size | Unit Pri | се |
|-----------------|----------|----------|----|
| CRW-VCL2SLXL2 ★ | XX-Large | EA | _ |
| | | | |

* ANSI/ISEA 107-2010 Compliant.

H-700 Series Hard Hat

 Protective hard hat with comfortable four-point ratchet suspension and standard brow pad.


| No. | Color | Unit Price |
|---------------------|--------|------------|
| MMM-H-701R ≭ | White | EA |
| MMM-H-702R ★ | Yellow | EA |
| Vented | | |
| MMM-H-701V ≭ | White | EA |

* ANSI Z89.1-2009, Type 1, Class C, G, E Compliant.



Caution Barricade Tape

- Durable plastic.
- · Pliant even in cold weather.
- · Brightly colored for safety.





Honeycomb Safety Tape

- · Self-adhesive safety tape.
- · Glows bright green in the dark and through fog and smoke.
- · Continues to glow when wet.

Price No. $W \times L$ Unit MLE-151831



Hazard Marking Tape

- · Help prevent accidents by calling attention to potentially harmful materials, machinery, physical objects, walkways or stairs.
- · Highly visible; alerts visitors and employees to avoid dangerous areas or materials.
- Adhesive backing sticks tight and lies evenly in straight or curved lines.

 $W \times L$ Unit TCO-14711


DID YOU KNOW?

According to the National Safety Council, a worker is injured on the job every seven seconds. Be prepared with critical gear and equipment to keep workers safe. Personal protection such as hard hats greatly reduce the risk of seriously being hurt, while safety vests and tape provide an immediate visual alert to hazardous situations.










Master Lock

Combination Lock

- Three-number dialing.
- · Black dial.

| No. | Width | Unit Price |
|-------------|----------------------|------------|
| MLK-1500D | 1 ¹⁵ ⁄16" | EA |
| Pack of Two | | |
| MLK-1500T | 17/8" | PK |



Master Lock

Resettable Combination Padlock

- . Set to any personal four-digit combination—10,000 possible settings.
- · Brass with hardened steel shackle.
- Change key.

| No. | Width | Unit | Price |
|----------|-------|------|-------|
| MLK-175D | 2" | EA | |

Master Lock

Portable Select Access™ Key Storage Lock

- · For real estate sales, repair services, contractors and house/pet sitters.
- · Molded bumper and vinyl-coated shackle prevent scratches to your property.

| · Ilaluelleu Ste | ter strackie resists cutting. | |
|------------------|-------------------------------|--|
| No. | Width | |
| ' | | |

| Hardened Steel Shackle | resists cutting. | | |
|--|------------------|------|-------|
| No. | Width | Unit | Price |
| MLK-5400D | 3½" | EA | |



Because there is no universally accepted standard to designate products as environmentally preferable, we have adopted the green leaf symbol to highlight products that have one or more of the following attributes: reduced VOCs, compostable, biodegradable, contains recycled content, or other environmental attributes that make this product[†] less harmful to the environment or humans, when compared to its traditional counterparts. Many of the products marked with the green leaf symbol have been endorsed by third-party certifying organizations, and where applicable, the certifying body's logo appears next to the product's name. Please note that we have not independently verified the environmental attributes. † These environmental attributes refer to the products themselves and not the processes for manufacturing and transporting the products.



Products that meet the recovered material content ranges specified by the EPA through the Comprehensive Procurement Guideline (CPG)



Products that must be shipped freight



Identifies items that cannot be returned

Master